

PATIENT NAME:	
YOU ARE SCHEDULED	FOR A CARDIAC CATHETERIZATION ON

INSTRUCTIONS:

- 1. Your procedure will be at <u>Baptist Memorial East Hospital-6019 Walnut Grove</u>, <u>Memphis</u>, <u>TN</u>, <u>just off of I-240</u>. Follow the signs to ADMISSIONS.
- 2. You need to be there at 5:00 AM.
- 3. Nothing to eat or drink after midnight, the night before your scheduled day.
- 4. You will not be able to drive yourself home, so bring someone with you.
- 5. You will have six (6) hours of bed rest, so you can expect to go home about 3:00-4:00pm that afternoon.
- You can take your medication that morning with Sips of water, <u>EXCEPT</u> for any diabetic medication (sugar pills). <u>Diabetic Medications include: Metformin</u>, <u>Avandiamet</u>, or <u>Glucophage</u>.
- 7. In the event that Dr. Khan finds blockage that he feels can be treated with angioplasty and stent, he will likely do that at this time. You will spend one night in the hospital, and go home the next day.
- 8. It will be very cold in the procedure area; you may want to wear a pair of heavy socks.
- 9. BRING ALL OF YOUR MEDICATIONS WITH YOU TO THE HOSPITAL
- 10. You will be instructed if blood thinners such as Coumadin or Warfarin need to be stopped prior to procedure.
 - ***If you have any questions or concerns, please call the office at 901-507-6600.



AFTER THE PROCEDURE:

- 1. You will have a bandage on your groin site. Remove this the next morning while in the shower, or at least get the bandage wet with water before removal.
- 2. Wash the site with soap and water and keep it dry. Do NOT put any creams, powders, or lotions on the area.
- 3. Mild soreness and bruising is very common. You may take an over the counter pain reliever if needed.
- 4. Watch the site for any severe pain, redness, or a knot under the skin. If this should occur please call our office.
- 5. If you are taking Metformin, Avandiamet, Glucophage, or any diabetic Medications that you take by mouth for your diabetes, do NOT take it on the day of your procedure and for the next two days. You should resume taking it on the 3rd day (the nurses on the floor will inform you of when to restart your diabetic medication)
- 6. Do NOT perform and strenuous activity on the day of your procedure or the next day. No lifting anything over 5 lbs. No pushing, pulling, lifting, or squatting for those two days. On day 3, you may resume activity as normal.

***If you require angioplasty and stent and you have to spend one night in the hospital, then this applies for one (1) week of no strenuous activity.

If you have any questions or concerns, please do not hesitate to call our office at (901) 507-6600.

By signing below, I certify that I have received a copy of the procedure instructions:

Patient :	Signature	Date
*** or Warf on:	Patient was instructed to stop Farin 4 days prior to procedure; Stop	taking the blood thinner such as Coumadin p Warfarin/Coumadin
***	Patient was instructed to stop taking the blood thinner Pradaxa 3 days prior e; Stop Pradaxa on:	
Staff Sig	znature	Date

Nuclear Stress Tests = Echocardiograms = Stress Echocardiograms = Holter Monitors